Journal of Immuological Methods, 126 (1990) 298–299
Elsevier

Contents to volume 126 (1990)

Number 1 — 24 January 1990

Research reports

Comparison of mitogen responses of lymphocyte subpopulations separated using coated metal beads and by traditional methods
A. Morgan and L.M. Burke (U.K.) 1

Quantification of radiolabelled granulocyte migration in vivo
A.J. Pinching, A.M. Peters and S.H. Saverymuttu (U.K.) 7

Measurement of the 'fast' or complexed form of α_2 macroglobulin in biological fluids using a sandwich enzyme immunoassay
R.E. Banks, S.W. Evans, F. Van Leuven, D. Alexander, M.J. McMahon and J.T. Whicher (U.K., Belgium) 13

An improved method for the detection of cell surface antigens in samples of low viability using flow cytometry
M.G. Wing, A.M.P. Montgomery, S. Songsivilai and J.V. Watson (U.K.) 21

Perforin binding to cells and lipid membranes determined by a simple competition assay
S. Jiang, D.M. Ojcius and J.D.-E. Young (U.S.A.) 29

A monoclonal antibody that recognizes 2,3-, 2,6-, and 4,6-disulphate ester ring substitution in pyranose-containing polysaccharides. Its production, characterization and application for the quantitation of pentosan polysulphate, dextran sulphate, glycosaminoglycan polysulphate and chondroitin sulphate E
P. Kongtawelert and P. Ghosh (Australia) 39

An immunoblot technique for identification of allergens of the Australian paralysis tick *Ixodes holocyclus*
M. Gauci, B.F. Stone and Y.H. Thong (Australia) 51

Single-step purification of immunoglobulin M on C1q-Sepharose
A. Nethery, R.L. Raison and S.B. Easterbrook-Smith (Australia) 57

A single-step procedure for cloning and selection of antibody-secreting hybridomas
E. Gherardi, R. Pannell and C. Milstein (U.K.) 61

Single laser flow cytometric detection of lymphocytes binding three antibodies labelled with fluorescein, phycoerythrin and a novel tandem fluorochrome conjugate
R. Festin, A. Björkland and T.H. Tötterman (Sweden) 69

Measurement of the humoral immune response against *Streptococcus pneumoniae* type 14-derived antigens by an ELISA and ELISPOT assay based on biotin-avidin technology
A.F.M. Verheul, A.A. Versteeg, N.A.C. Westerdaal, G.J. Van Dam, M. Jansze and H. Snippe (The Netherlands) 79

Substantially increased sensitivity of the spot-ELISA for the detection of anti-insulin antibody-secreting cells using a capture antibody and enzyme-conjugated insulin
Q. Vos, E. Claassen and R. Benner (The Netherlands) 89

Immunoreactivity of boronated antibodies
M.L. Pettersson, M.-N. Courel, N. Girard, R. Abraham, D. Gabel, M. Thellier and B. Delpech (France, F.R.G.) 95

Quantification of free α_2-macroglobulin and α_2-macroglobulin-protease complexes by a novel ELISA system based on streptococcal α_2-macroglobulin receptors
C.W.E. Justus, H.P. Müller, M.M. Simon and M.D. Kramer (F.R.G., Sweden) 103

Increased resolution of lipopolysaccharides and lipooligosaccharides utilizing tricine-sodium dodecyl sulfate-polyacrylamide gel electrophoresis
A.J. Lesse, A.A. Campagnari, W.E. Bittner and M.A. Apicella (U.S.A.) 109

Immunoaffinity purification of hepatitis B surface antigen using anti-idiotype as a specific eluent
W.B. Kim, B.M. Kim, E.C. Choi and B.K. Kim (Korea) 119

Assay of the human leukocyte enzymes myeloperoxidase and eosinophil peroxidase
P.M. Bozeman, D.B. Learn and E.L. Thomas (U.S.A.) 125

Large scale preparation of an immunoconjugate constructed with human recombinant CD4 and deglycosylated ricin A chain
V. Ghetie, M.A. Till, M.-A. Ghetie, J.W. Uhr and E.S. Vitetta (U.S.A.) 135

Book reviews 143

Notes to authors 146

0022-1759/89/$03.50 © 1989 Elsevier Science Publishers B.V. (Biomedical Division)

Journal of Immuological Methods, 126 (1990) 298–299
Elsevier

Contents to volume 126 (1990)

Number 1 — 24 January 1990

Research reports

Comparison of mitogen responses of lymphocyte subpopulations separated using coated metal beads and by traditional methods
A. Morgan and L.M. Burke (U.K.) 1

Quantification of radiolabelled granulocyte migration in vivo
A.J. Pinching, A.M. Peters and S.H. Saverymuttu (U.K.) 7

Measurement of the 'fast' or complexed form of α_2 macroglobulin in biological fluids using a sandwich enzyme immunoassay
R.E. Banks, S.W. Evans, F. Van Leuven, D. Alexander, M.J. McMahon and J.T. Whicher (U.K., Belgium) 13

An improved method for the detection of cell surface antigens in samples of low viability using flow cytometry
M.G. Wing, A.M.P. Montgomery, S. Songsivilai and J.V. Watson (U.K.) 21

Perforin binding to cells and lipid membranes determined by a simple competition assay
S. Jiang, D.M. Ojcius and J.D.-E. Young (U.S.A.) 29

A monoclonal antibody that recognizes 2,3-, 2,6-, and 4,6-disulphate ester ring substitution in pyranose-containing polysaccharides. Its production, characterization and application for the quantitation of pentosan polysulphate, dextran sulphate, glycosaminoglycan polysulphate and chondroitin sulphate E
P. Kongtawelert and P. Ghosh (Australia) 39

An immunoblot technique for identification of allergens of the Australian paralysis tick *Ixodes holocyclus*
M. Gauci, B.F. Stone and Y.H. Thong (Australia) 51

Single-step purification of immunoglobulin M on C1q-Sepharose
A. Nethery, R.L. Raison and S.B. Easterbrook-Smith (Australia) 57

A single-step procedure for cloning and selection of antibody-secreting hybridomas
E. Gherardi, R. Pannell and C. Milstein (U.K.) 61

Single laser flow cytometric detection of lymphocytes binding three antibodies labelled with fluorescein, phycoerythrin and a novel tandem fluorochrome conjugate
R. Festin, A. Björkland and T.H. Tötterman (Sweden) 69

Measurement of the humoral immune response against *Streptococcus pneumoniae* type 14-derived antigens by an ELISA and ELISPOT assay based on biotin-avidin technology
A.F.M. Verheul, A.A. Versteeg, N.A.C. Westerdaal, G.J. Van Dam, M. Jansze and H. Snippe (The Netherlands) 79

Substantially increased sensitivity of the spot-ELISA for the detection of anti-insulin antibody-secreting cells using a capture antibody and enzyme-conjugated insulin
Q. Vos, E. Claassen and R. Benner (The Netherlands) 89

Immunoreactivity of boronated antibodies
M.L. Pettersson, M.-N. Courel, N. Girard, R. Abraham, D. Gabel, M. Thellier and B. Delpech (France, F.R.G.) 95

Quantification of free α_2-macroglobulin and α_2-macroglobulin-protease complexes by a novel ELISA system based on streptococcal α_2-macroglobulin receptors
C.W.E. Justus, H.P. Müller, M.M. Simon and M.D. Kramer (F.R.G., Sweden) 103

Increased resolution of lipopolysaccharides and lipooligosaccharides utilizing tricine-sodium dodecyl sulfate-polyacrylamide gel electrophoresis
A.J. Lesse, A.A. Campagnari, W.E. Bittner and M.A. Apicella (U.S.A.) 109

Immunoaffinity purification of hepatitis B surface antigen using anti-idiotype as a specific eluent
W.B. Kim, B.M. Kim, E.C. Choi and B.K. Kim (Korea) 119

Assay of the human leukocyte enzymes myeloperoxidase and eosinophil peroxidase
P.M. Bozeman, D.B. Learn and E.L. Thomas (U.S.A.) 125

Large scale preparation of an immunoconjugate constructed with human recombinant CD4 and deglycosylated ricin A chain
V. Ghetie, M.A. Till, M.-A. Ghetie, J.W. Uhr and E.S. Vitetta (U.S.A.) 135

Book reviews 143

Notes to authors 146

0022-1759/89/$03.50 © 1989 Elsevier Science Publishers B.V. (Biomedical Division)

Number 2 — 9 February 1990

Research reports

Lectins and antibodies as tools for studying cellular interactions
J.S. Peacock, A.S. Colsky and V.B. Pinto (U.S.A.) 147

A novel technique to link either proteins or peptides to gammaglobulin to construct tolerogens
H. Borel and Y. Borel (U.S.A.) 159

The detection of single cells forming antibodies to defined epitopes on insulin
B. Schliebs, H. Gattner, K. Naithani, M. Fabry, A.-N. Khalaf, L. Kerp and K.-G. Petersen (F.R.G.) 169

Solid-phase adsorption of antigens for efficient production of antibodies reactive with native and fixed tissue antigens
W.N.M. Dinjens, E.P.M. Van der Linden, C.M. Signet, J.T. Wijnen, P. Meera Khan, J. Ten Kate and F.T. Bosman (The Netherlands) 175

Immunometric assay by flow cytometry using mixtures of two particle types of different affinity
T. Lindmo, O. Børmer, J. Ugelstad and K. Nustad (Norway) 183

Assay of complement activation in mouse serum by ELISA
L.J.A. Morrison, P.O. Behan and W.M.H. Behan (U.K.) 191

Detection of IgM and IgA HIV antibodies after removal of IgG with recombinant protein G
B.J. Weiblen, R.T. Schumacher and R. Hoff (U.S.A.) 199

Purification and properties of peritoneal eosinophils from pediatric dialysis patients
R.L. Roberts, B.J. Ank, I.B. Salusky and E.R. Stiehm (U.S.A.) 205

A cell culture system that enhances mononuclear cell IgE synthesis induced by recombinant human interleukin-4
J.L. Claassen, A.D. Levine and R.H. Buckley (U.S.A.) 213

Purification of immunoreactive radiolabeled monoclonal antibodies with anti-idiotypic monoclonal antibodies
M. Temponi, S. Pupa and S. Ferrone (U.S.A.) 223

Determination of the epitope specificities of monoclonal antibodies using unprocessed supernatants of hybridoma cultures
R. Würzner, M. Oppermann, R. Zierz, H. Baumgarten and O. Götze (F.R.G.) 231

Development of a novel substrate capture immunoassay for the detection of a neutral metalloproteinase capable of degrading basement membrane (type IV) collagen
M.P. Wacher, H.C. Krutzsch, L.A. Liotta and W.G. Stetler-Stevenson (U.S.A.) 239

Bacteria as solid phase in a concentration fluorescence immunoassay analysis of antibodies to surface antigens
W.R. Schwan, C. Waltenbaugh and J.L. Duncan (U.S.A.) 247

The application of enzyme kinetics to the determination of dissociation constants for antigen-antibody interactions in solution
M.F. Hoylaerts, A. Bollen and M.E. De Broe (Belgium) 253

Quantification of proliferative and suppressive responses of human T lymphocytes following ConA stimulation
M. Nikš, M. Otto, B. Bušová and J. Štefanovič (Czechoslovakia) 263

The use of microcapsules for high density growth of human tumor infiltrating lymphocytes and other immune reactive T cells
E.B. Reilly, G. Antognetti, J.S. Wesolowski Jr. and P. Sakorafas (U.S.A.) 273

A fluorometric method for determining the degree of biotinylation of proteins
G.P. Der-Balian, B. Gomez, R.S. Masino and J.W. Parce (U.S.A.) 281

Production of baboon (*Papio hamadryas*) monoclonal antibodies by herpesvirus papio immortalized baboon lymph node cells
R.M. Sharp, C.L. Durocher and J.L. Parmenter (U.S.A.) 287

Letter to the editors

Mouse restrainer for collection of ascitic fluid including monoclonal antibody
N. Hasegawa and T. Ohno (Japan) 295

Announcements 297

Contents to volume 126 (1990) 298

Notes to authors 300